SAFETY DATA SHEET Tesco Spray Shine

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Tesco Spray Shine

Product number XTES0038A, XTES0038UK/CE

UFI UFI: RKG6-R0AM-000T-7KUC

REACH registration notesThis is a MIXTURE; no registration information contained in this document. Holts are classed

as Downstream User.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Car maintenance product.

1.3. Details of the supplier of the safety data sheet

Supplier Produced for Tesco Stores Ltd

Welwyn Garden City, AL7 1GA, UK

by

Holts Car Care Products Holt Lloyd International Ltd

Barton Dock Road

Stretford Manchester M32 0YQ England UK

+44 (0) 161 866 4800 Fax + 44 (0) 161 866 4854

UK - 00 44 (0) 161 866 4800, Office hrs = 09.00 - 17.00

Contact person Contact Email address: info@holtsauto.com

1.4. Emergency telephone number

Emergency telephone UK - 00 44 (0) 161 866 4800 Office hrs = 0900 - 1700 hrs

National emergency telephone National Poisons Information Service

number City Hospital, Birmingham B187QH, United Kingdom

Telephone: +44 121 507 4123

Email: allistervale@npis.org, sallybradberry@npis.org

www.npis.org

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Aerosol 1 - H222, H229

Health hazards Not Classified

Environmental hazards Not Classified

Human health Gas or vapour in high concentrations may irritate the respiratory system.

Tesco Spray Shine

Physicochemical The product is extremely flammable. Closed containers can burst violently when heated, due

to excess pressure build-up.

2.2. Label elements

Hazard pictograms



Signal word Danger

Hazard statements H222 Extremely flammable aerosol.

H229 Pressurised container: may burst if heated.

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

P501 Dispose of contents/ container in accordance with national regulations.

UFI UFI: RKG6-R0AM-000T-7KUC

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

BUTANE 1-5%

CAS number: 106-97-8 EC number: 203-448-7 REACH registration number: 01-

2119474691-32-XXXX

Classification

Flam. Gas 1 - H220

Press. Gas

PROPANE <1%

CAS number: 74-98-6 EC number: 200-827-9 REACH registration number: 01-

2119486944-21-XXXX

Classification

Flam. Gas 1 - H220

ISOBUTANE <1%

CAS number: 75-28-5 EC number: 200-857-2 REACH registration number: 01-

2119486944-21-XXXX

Classification

Flam. Gas 1 - H220

Press. Gas

Tesco Spray Shine

Sodium Nitrite <1%

CAS number: 7632-00-0 EC number: 231-555-9 REACH registration number: 01-

2119471836-27-XXXX

M factor (Acute) = 1

Classification

Ox. Sol. 3 - H272 Acute Tox. 3 - H301 Aquatic Acute 1 - H400

(Benzyloxy)methanol

Classification

Acute Tox. 4 - H302 Acute Tox. 4 - H312 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT SE 3 - H335

Isotridecanol, ethoxylated <1%

CAS number: 69011-36-5 EC number: 500-241-6 REACH registration number: 01-

2119976362-32-XXXX

Classification

Acute Tox. 4 - H302 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Keep affected person away from heat, sparks and flames. Move affected person to fresh air at

once. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Keep affected person warm and at rest. Get medical attention

immediately.

Ingestion Not relevant.

Skin contact Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.

Eye contact Remove any contact lenses and open eyelids wide apart. Rinse with water. Continue to rinse

for at least 15 minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

General information Treat symptomatically.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

Tesco Spray Shine

5.1. Extinguishing media

Suitable extinguishing media Extinguish with the following media: Powder. Dry chemicals, sand, dolomite etc. Water spray,

fog or mist.

5.2. Special hazards arising from the substance or mixture

Specific hazards Risk of explosion if heated. Containers can burst violently or explode when heated, due to

excessive pressure build-up.

Hazardous combustion

products

Oxides of carbon.

5.3. Advice for firefighters

Protective actions during

firefighting

Containers close to fire should be removed or cooled with water. Use water to keep fire

exposed containers cool and disperse vapours.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid inhalation of vapours and contact with skin and eyes.

6.2. Environmental precautions

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots,

clothing or apron, as appropriate. Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Wear protective

clothing as described in Section 8 of this safety data sheet.

6.4. Reference to other sections

Reference to other sections For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Keep away from heat, sparks and open flame. Avoid spilling. Provide adequate ventilation.

Avoid inhalation of vapours. Use approved respirator if air contamination is above an

acceptable level. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Do not expose to temperatures exceeding 50°C/122°F. Keep away from food and drink. Keep

away from heat, sparks and open flame. Keep in a cool, well ventilated place. Keep only in the

original container in a cool, well-ventilated place. Protect from sunlight.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

BUTANE

Long-term exposure limit (8-hour TWA): WEL 600 ppm 1450 mg/m³ Short-term exposure limit (15-minute): WEL 750 ppm 1810 mg/m³

ISOBUTANE

Long-term exposure limit (8-hour TWA): OES 800 ppm Short-term exposure limit (15-minute): OES 800 ppm

Tesco Spray Shine

WEL = Workplace Exposure Limit.

Sodium Nitrite (CAS: 7632-00-0)

DNEL Workers - Inhalation; Long term systemic effects: 2 mg/m³

Workers - Inhalation; Short term systemic effects: 2 mg/m³

PNEC Fresh water; 0.0054 mg/l

marine water; 0.00616 mg/l Intermittent release; 0.0054 mg/l

STP; 21 mg/l

Sediment (Freshwater); 0.0195 mg/kg sediment dw Sediment (Marinewater); 0.0223 mg/kg sediment dw

Soil; 0.00073 mg/kg soil dw

Isotridecanol, ethoxylated (CAS: 69011-36-5)

DNEL Workers - Inhalation; Long term systemic effects: 294 mg/m³

Workers - Dermal; Long term systemic effects: 2080 mg/kg/day General population - Inhalation; Long term systemic effects: 87 mg/m³ General population - Dermal; Long term systemic effects: 1250 mg/kg/day

General population - Oral; Long term systemic effects: 25 mg/kg/day

PNEC Fresh water; 0.074 mg/l

marine water; 0.007 mg/l

STP; 1.4 mg/l

Sediment (Freshwater); 0.604 mg/kg sediment dw Sediment (Marinewater); 0.06 mg/kg sediment dw

Soil; 0.1 mg/kg soil dw

8.2. Exposure controls

Protective equipment





Appropriate engineering controls

Provide adequate general and local exhaust ventilation.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Rubber (natural, latex). To protect hands from chemicals, gloves should comply with European Standard EN374.

Other skin and body protection

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or

prolonged vapour contact.

Hygiene measures

Use engineering controls to reduce air contamination to permissible exposure level. Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Do not eat, drink or smoke when using this product.

Respiratory protection

No specific recommendations. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit.

Tesco Spray Shine

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

White.

Appearance Aerosol.

Odour Tropical Fragrance

pH 6.5

Relative density 1.003 @ 20°C

Solubility(ies) Miscible with water.

Partition coefficient Not determined.

9.2. Other information

Other information None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Colour

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous

None known.

reactions

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition. Avoid contact with the following materials:

Strong oxidising agents. Strong alkalis. Strong mineral acids.

10.5. Incompatible materials

Materials to avoid Strong oxidising agents. Strong acids. Strong alkalis.

10.6. Hazardous decomposition products

Hazardous decomposition

Oxides of carbon.

products

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects No information available.

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

ATE oral (mg/kg) 61,446.03

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC50) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Tesco Spray Shine

Skin corrosion/irritationBased on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisationBased on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitroBased on available data the classification criteria are not met.

Genotoxicity - in vivoBased on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard Not relevant.

Inhalation Extensive use of the product in areas with inadequate ventilation may result in the

accumulation of hazardous vapour concentrations. May cause eye and respiratory system irritation. Symptoms following overexposure may include the following: Headache. Vapours

may cause headache, fatigue, dizziness and nausea.

IngestionNo harmful effects expected from quantities likely to be ingested by accident.

Skin contact Prolonged and frequent contact may cause redness and irritation.

Eye contact Vapour or spray in the eyes may cause irritation and smarting.

5,000.0

Toxicological information on ingredients.

BUTANE

Acute toxicity - oral

Acute toxicity oral (LD₅₀ 5,000.0

mg/kg)

Species Rat

PROPANE

Acute toxicity - oral

Acute toxicity oral (LD50

mg/kg)

Species Rat

Tesco Spray Shine

ATE oral (mg/kg) 5,000.0

ISOBUTANE

Acute toxicity - oral

Acute toxicity oral (LD₅o

mg/kg)

5,000.0

Species Rat

ATE oral (mg/kg) 5,000.0

Sodium Nitrite

Acute toxicity - oral

Acute toxicity oral (LD50

mg/kg)

180.0

Species Rat

ATE oral (mg/kg) 180.0

Acute toxicity - dermal

Notes (dermal LD₅₀) No specific test data are available.

Acute toxicity - inhalation

Notes (inhalation LC50) No specific test data are available.

Skin corrosion/irritation

Skin corrosion/irritation Not irritating.

Serious eye damage/irritation

Serious eye

damage/irritation

Causes serious eye irritation.

Respiratory sensitisation

Respiratory sensitisation No information available.

Skin sensitisation

Skin sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Inconclusive data.

Genotoxicity - in vivo Inconclusive data.

Carcinogenicity

Carcinogenicity There is no evidence that the product can cause cancer.

IARC carcinogenicity IARC Group 2A Probably carcinogenic to humans.

Reproductive toxicity

Reproductive toxicity -

No evidence of reproductive toxicity in animal studies.

fertility

Reproductive toxicity -

development

No evidence of reproductive toxicity in animal studies.

Tesco Spray Shine

Specific target organ toxicity - single exposure

STOT - single exposure A single exposure may cause the following adverse effects:

Methaemoglobinanaemia

Target organs Blood

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Prolonged or repeated exposure may cause the following adverse effects:

Methaemoglobinanaemia

Target organs Blood

Aspiration hazard

Aspiration hazard Not anticipated to present an aspiration hazard, based on chemical structure.

Inhalation Nausea, vomiting. Unconsciousness and convulsions can occur.

Ingestion Toxic if swallowed. Symptoms following overexposure may include the following:

Nausea, vomiting. Unconsciousness and convulsions can occur.

Skin contact Skin irritation should not occur when used as recommended.

Eye contact Causes serious eye irritation.

(Benzyloxy)methanol

Acute toxicity - oral

Acute toxicity oral (LD50

mg/kg)

1,700.0

Species Rat

ATE oral (mg/kg) 500.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 1,500.0

mg/kg)

Species Rat

ATE dermal (mg/kg) 1,100.0

Acute toxicity - inhalation

Acute toxicity inhalation 5

(LC₅₀ dust/mist mg/l)

502.0

Species Rat

Skin corrosion/irritation

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation

Serious eye Causes serious eye damage.

damage/irritation

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

Tesco Spray Shine

Isotridecanol, ethoxylated

Acute toxicity - oral

Notes (oral LD50) Harmful if swallowed.

ATE oral (mg/kg) 500.0

Acute toxicity - dermal

Notes (dermal LD₅o) LD₅o > 2000 mg/kg, Dermal, Rabbit

Acute toxicity - inhalation

Notes (inhalation LC₅₀) LC50 > 16 mg/m³, Inhalation, Rat

Skin corrosion/irritation

Skin corrosion/irritation Not irritating.

Serious eye damage/irritation

Serious eye Causes serious eye damage.

damage/irritation

Respiratory sensitisation

Respiratory sensitisation No information available.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity No information available.

Reproductive toxicity

Reproductive toxicity -

fertility

Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard Not relevant.

Inhalation No specific health hazards known.

Ingestion May cause discomfort.

Skin contact May cause skin irritation.

Eye contact May cause eye irritation.

SECTION 12: Ecological information

Ecotoxicity The product is not expected to be hazardous to the environment. The product components

are not classified as environmentally hazardous. However, large or frequent spills may have

hazardous effects on the environment.

Ecological information on ingredients.

Tesco Spray Shine

Sodium Nitrite

Ecotoxicity Very toxic to aquatic life.

Isotridecanol, ethoxylated

Ecotoxicity Harmful to aquatic life with long lasting effects.

12.1. Toxicity

Acute aquatic toxicity

Acute toxicity - fish

No information available.

Acute toxicity - aquatic

No information required.

invertebrates

Acute toxicity - aquatic plants No information required.

Acute toxicity - Not available.

microorganisms

Acute toxicity - terrestrial Not available.

Chronic aquatic toxicity

Chronic toxicity - fish early life Not available.

stage

Short term toxicity - embryo Not available.

and sac fry stages

Chronic toxicity - aquatic

Not available.

invertebrates

Ecological information on ingredients.

Sodium Nitrite

Acute aquatic toxicity

LE(C)₅₀ $0.1 < L(E)C50 \le 1$

M factor (Acute)

Acute toxicity - fish LC₅₀, 96 hours: 0.54-26.3 mg/l, Oncorhynchus mykiss (Rainbow trout)

NOEC, 31 days: 6.16 mg/l, lctalurus punctatus / l. robustus

Acute toxicity - aquatic EC₅₀, 48 hours: 15.4 mg/l, Daphnia magna

invertebrates EC₅₀, 96 hours: 4.93 mg/l, Marinewater invertebrates, Freshwater invertebrates

Acute toxicity - aquatic

plants

EC₅₀, 72 hours: > 100 mg/l, Scenedesmus subspicatus

Acute toxicity - EC₅₀, 48 hours: 421 mg/l, protozoa

microorganisms EC10, 72 hours: 210 mg/l, Activated sludge

Chronic aquatic toxicity

Chronic toxicity - aquatic

invertebrates

NOEC, 80 days: 9.86 mg/l, Daphnia magna

(Benzyloxy)methanol

Acute aquatic toxicity

Tesco Spray Shine

Acute toxicity - fish LC₅₀, 96 hours: 81.5 mg/l, Fish

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: 43 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

IC₅₀, 72 hours: 17.7 mg/l, Scenedesmus subspicatus

Isotridecanol, ethoxylated

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 2.5 mg/l, Brachydanio rerio (Zebra Fish)

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: 1.5 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

ErC50, 72 hours: 2.5 mg/l, Scenedesmus subspicatus

Acute toxicity microorganisms EC₅₀, 3 hours: 140 mg/l, Activated sludge

Chronic aquatic toxicity

Chronic toxicity - fish early EC₂₀, 30 days: 1.097 mg/l, Pimephales promelas (Fat-head Minnow)

life stage

Chronic toxicity - aquatic

invertebrates

EC₅₀, 21 days: 0.74 mg/l, Daphnia magna

Toxicity to soil > 1000 mg/kg soil dw (Eisenia fetida)

21 days

Toxicity to terrestrial plants EC0 > 10 mg/kg soil dw. for growth (Lepidum sativum)

17 days

12.2. Persistence and degradability

Persistence and degradability Expected to be readily biodegradable.

Ecological information on ingredients.

Sodium Nitrite

Biodegradation Not readily biodegradable.

(Benzyloxy)methanol

Biodegradation Rapidly degradable

Water - Degradation 100%: 18 days

Isotridecanol, ethoxylated

Persistence and

degradability

60 - 80% 28 days Rapidly degradable

12.3. Bioaccumulative potential

Bioaccumulative potential Bioaccumulation is unlikely.

Partition coefficient Not determined.

Ecological information on ingredients.

Tesco Spray Shine

Sodium Nitrite

Bioaccumulative potential The product is not bioaccumulating.

Partition coefficient Scientifically unjustified.

(Benzyloxy)methanol

Partition coefficient log Pow: 0.3

Isotridecanol, ethoxylated

Bioaccumulative potential Bioaccumulation is unlikely.

Partition coefficient Log Koc: 4.73 QSAR data.

12.4. Mobility in soil

Mobility No data available.

Adsorption/desorption

coefficient

Not determined.

Henry's law constant Not determined.

Surface tension Not determined.

Ecological information on ingredients.

Isotridecanol, ethoxylated

Adsorption/desorption

-tusoi piioi i/desoi piid

- Log Koc: 2.376 - 2.645 @ 25°C QSAR

coefficient

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB.

assessment

Ecological information on ingredients.

(Benzyloxy)methanol

Results of PBT and vPvB This substance is not classified as PBT or vPvB according to current EU criteria.

assessment

Isotridecanol, ethoxylated

Results of PBT and vPvB This substance is not classified as PBT or vPvB according to current EU criteria.

assessment

12.6. Other adverse effects

Other adverse effects Not determined.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Empty containers must not be punctured or incinerated because of the risk of an explosion.

Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

Tesco Spray Shine

SECTION 14: Transport information

General Refer to the Dangerous Goods List for information on any Special Provisions 190, 327, 344,

625.

14.1. UN number

UN No. (ADR/RID) 1950 UN No. (IMDG) 1950 UN No. (ICAO) 1950 UN No. (ADN) 1950

14.2. UN proper shipping name

Proper shipping name

AEROSOLS

(ADR/RID)

Proper shipping name (IMDG) AEROSOLS
Proper shipping name (ICAO) AEROSOLS
Proper shipping name (ADN) AEROSOLS

14.3. Transport hazard class(es)

ADR/RID class 2.1

ADR/RID classification code 5F

ADR/RID label 2.1

IMDG class 2.1

ICAO class/division 2.1

ADN class 2.1

Transport labels



14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

EmS F-D, S-U

ADR transport category 2

Tunnel restriction code (D)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

Tesco Spray Shine

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009

No. 716).

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Commission Regulation (EU) No 2015/830 of 28 May 2015.

Council Directive of 20 May 1975 on the approximation of the laws of the Member States

relating to aerosol dispensers (75/324/EEC) (as amended).

15.2. Chemical safety assessment

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

ADR: European Agreement concerning the International Carriage of Dangerous Goods by

Road.

ATE: Acute Toxicity Estimate.
CAS: Chemical Abstracts Service.
DNEL: Derived No Effect Level.

EC₅₀: 50% of maximal Effective Concentration.

GHS: Globally Harmonized System.

IARC: International Agency for Research on Cancer.

IATA: International Air Transport Association.

ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IMDG: International Maritime Dangerous Goods.

LC50: Lethal Concentration to 50 % of a test population.

LD₅o: Lethal Dose to 50% of a test population (Median Lethal Dose). NOAEC: No Observed Adverse Effect Concentration.

NOAEL: No Observed Adverse Effect Level. NOEC: No Observed Effect Concentration.

PBT: Persistent, Bioaccumulative and Toxic substance.

PNEC: Predicted No Effect Concentration.

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation

(EC) No 1907/2006.

RID: European Agreement concerning the International Carriage of Dangerous Goods by

Rail.

SVHC: Substances of Very High Concern.

UVCB - Unknown or variable composition, complex reaction products or Biological materials.

vPvB: Very Persistent and Very Bioaccumulative.

Revision date 02/01/2021

Revision 3

Supersedes date 14/02/2020

SDS number 21673

Tesco Spray Shine

Hazard statements in full H220 Extremely flammable gas.

H222 Extremely flammable aerosol.

H229 Pressurised container: may burst if heated.

H272 May intensify fire; oxidiser.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.